

BLINDNIETE


FLACHRUNDKOPF (~ DIN EN ISO 15979)

BLIND RIVETS

DOMED HEAD (~ DIN EN ISO 15979)


RIVETS AVEUGLES

TÊTE PLATE (~ DIN EN ISO 15979)



D: Stahl verzinkt
GB: Steel zinc plated
F: Acier zingué

D: Stahl verzinkt
GB: Steel zinc plated
F: Acier zingué



Ø 3,0 mm

D1 = 3,0 + 0,08 / - 0,1 mm

D2 = 6,5 + 0 / - 0,7 mm

k = 0,8 +/- 0,2 mm

d = 1,9 mm

P = ≥ 27,0 mm

L = + 1,0 / - 0,2 mm

3,1 mm

	F-Max		CODE				100 = €		100 = €
3,0 x 5,0 mm	9,4 mm	0,5 - 1,5 mm	70801 30500	915 N	1125 N		2,50	10000	2,30
3,0 x 6,0 mm	10,4 mm	1,5 - 3,0 mm	70801 30600			1000	2,65	10000	2,45
3,0 x 8,0 mm	12,4 mm	3,0 - 5,0 mm	70801 30800			1000	3,05	10000	2,85
3,0 x 10,0 mm	14,4 mm	5,0 - 7,0 mm	70801 30100			1000	3,80	10000	3,60
3,0 x 12,0 mm	16,4 mm	7,0 - 9,0 mm	70801 30120			1000	4,45	10000	4,25
3,0 x 14,0 mm	18,4 mm	9,0 - 11,0 mm	70801 30140			1000	5,95	10000	5,75
3,0 x 16,0 mm	20,4 mm	11,0 - 13,0 mm	70801 30160			1000	6,70	10000	6,50
3,0 x 18,0 mm	22,4 mm	13,0 - 15,0 mm	70801 30180			1000	7,45	10000	7,20
3,0 x 20,0 mm	24,4 mm	15,0 - 17,0 mm	70801 30200			500	7,95	5000	7,75
3,0 x 25,0 mm	29,4 mm	17,0 - 22,0 mm	70801 30250			500	9,25	5000	9,05

Ø 3,2 mm

D1 = 3,2 + 0,08 / - 0,1 mm

D2 = 6,5 + 0 / - 0,7 mm

k = 0,8 +/- 0,2 mm

d = 2,0 mm

P = ≥ 27,0 mm

L = + 1,0 / - 0,2 mm

3,3 mm

	F-Max		CODE				100 = €		100 = €
3,2 x 5,0 mm	9,9 mm	0,5 - 1,5 mm	70801 32500	1060 N	1285 N		2,55	10000	2,35
3,2 x 6,0 mm	10,9 mm	1,5 - 3,0 mm	70801 32600			1000	2,70	10000	2,50
3,2 x 8,0 mm	12,9 mm	3,0 - 5,0 mm	70801 32800			1000	3,10	10000	2,90
3,2 x 10,0 mm	14,9 mm	5,0 - 7,0 mm	70801 32100			1000	4,50	10000	4,30
3,2 x 12,0 mm	16,9 mm	7,0 - 9,0 mm	70801 32120			1000	6,00	10000	5,80
3,2 x 14,0 mm	18,9 mm	9,0 - 11,0 mm	70801 32140			1000	6,75	10000	6,55
3,2 x 16,0 mm	20,9 mm	11,0 - 13,0 mm	70801 32160			1000	6,95	10000	6,75
3,2 x 18,0 mm	22,9 mm	13,0 - 15,0 mm	70801 32180			1000	7,70	10000	7,50
3,2 x 20,0 mm	24,9 mm	15,0 - 17,0 mm	70801 32200			500	8,20	5000	8,00
3,2 x 25,0 mm	29,9 mm	17,0 - 22,0 mm	70801 32250			500	9,50	5000	9,30

BLINDNIETE



FLACHRUNDKOPF (~ DIN EN ISO 15979)

BLIND RIVETS

DOMED HEAD (~ DIN EN ISO 15979)

RIVETS AVEUGLES


TÊTE PLATE (~ DIN EN ISO 15979)











D: Stahl verzinkt
GB: Steel zinc plated
F: Acier zingué


D: Stahl verzinkt
GB: Steel zinc plated
F: Acier zingué









Ø 4,0 mm

D1 = 4,0 + 0,08 / - 0,15 mm
D2 = 8,0 + 0 / - 1,0 mm
k = 1,0 + / - 0,3 mm
d = 2,5 mm
P = ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 4,1 mm

	F-Max		CODE				100  = €		100  = €
4,0 x 6,0 mm	10,9 mm	0,5 - 2,5 mm	70801 40600	1550 N	1990 N	1000	3,35	10000	3,05
4,0 x 8,0 mm	12,9 mm	2,5 - 4,5 mm	70801 40800			1000	3,60	10000	3,30
4,0 x 10,0 mm	14,9 mm	4,5 - 6,5 mm	70801 40100			1000	4,40	10000	4,10
4,0 x 12,0 mm	16,9 mm	6,5 - 8,5 mm	70801 40120			1000	5,10	10000	4,80
4,0 x 14,0 mm	18,9 mm	8,5 - 10,5 mm	70801 40140			500	5,95	5000	5,65
4,0 x 16,0 mm	20,9 mm	10,5 - 12,5 mm	70801 40160			500	6,70	5000	6,40
4,0 x 18,0 mm	22,9 mm	12,5 - 14,5 mm	70801 40180			500	8,20	5000	7,90
4,0 x 20,0 mm	24,9 mm	14,5 - 16,5 mm	70801 40200			500	8,60	5000	8,30
4,0 x 22,0 mm	26,9 mm	15,5 - 17,5 mm	70801 40220			500	9,35	5000	9,05
4,0 x 24,0 mm	28,9 mm	17,5 - 19,5 mm	70801 40240			500	9,60	5000	9,30
4,0 x 25,0 mm	29,9 mm	18,5 - 20,5 mm	70801 40250			500	9,65	5000	9,35
4,0 x 26,0 mm	30,9 mm	19,5 - 21,5 mm	70801 40260			500	10,00	5000	9,70
4,0 x 30,0 mm	34,9 mm	20,0 - 25,0 mm	70801 40300			500	12,10	5000	11,80

Ø 4,8 mm

D1 = 4,8 + 0,08 / - 0,15 mm
D2 = 9,5 + 0 / - 1,0 mm
k = 1,1 + / - 0,3 mm
d = 2,9 mm
P = ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 4,9 mm

	F-Max		CODE				100  = €		100  = €
4,8 x 6,0 mm	11,4 mm	1,0 - 2,5 mm	70801 48060	2300 N	2920 N	500	4,55	5000	4,25
4,8 x 8,0 mm	13,4 mm	2,5 - 4,5 mm	70801 48080			500	4,70	5000	4,40
4,8 x 10,0 mm	15,4 mm	4,5 - 6,0 mm	70801 48100			500	5,60	5000	5,30
4,8 x 12,0 mm	17,4 mm	6,0 - 8,0 mm	70801 48120			500	6,15	5000	5,85
4,8 x 14,0 mm	19,4 mm	8,0 - 10,0 mm	70801 48140			500	6,80	5000	6,50
4,8 x 16,0 mm	21,4 mm	10,0 - 11,5 mm	70801 48160			500	7,50	5000	7,20
4,8 x 18,0 mm	23,4 mm	11,5 - 13,5 mm	70801 48180			500	8,20	5000	7,90
4,8 x 20,0 mm	25,4 mm	13,5 - 15,0 mm	70801 48200			500	8,95	5000	8,65
4,8 x 22,0 mm	27,4 mm	15,0 - 17,0 mm	70801 48220			500	9,90	5000	9,60
4,8 x 25,0 mm	30,4 mm	17,0 - 20,0 mm	70801 48250			250	11,05	2500	10,75
4,8 x 30,0 mm	35,4 mm	20,0 - 25,0 mm	70801 48300			250	13,10	2500	12,80
4,8 x 35,0 mm	40,4 mm	25,0 - 30,0 mm	70801 48351			250	15,75	2500	15,45
4,8 x 40,0 mm	45,4 mm	30,0 - 35,0 mm	70801 48400			250	18,60	2500	18,30

BLINDNIETE



FLACHRUNDKOPF (~ DIN EN ISO 15979)

BLIND RIVETS

DOMED HEAD (~ DIN EN ISO 15979)

RIVETS AVEUGLES


TÊTE PLATE (~ DIN EN ISO 15979)















D: Stahl verzinkt
GB: Steel zinc plated
F: Acier zingué


D: Stahl verzinkt
GB: Steel zinc plated
F: Acier zingué













Ø 5,0 mm

D1 = 5,0 + 0,08 / - 0,15 mm
D2 = 9,5 + 0 / - 1,0 mm
k = 1,1 + / - 0,3 mm
d = 2,9 mm
P ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 5,1 mm


	F-Max		CODE				100  = €		100  = €
5,0 x 6,0 mm	11,4 mm	1,0 - 2,5 mm	70801 50600	2575 N	3255 N		100  = €		100  = €
5,0 x 8,0 mm	13,4 mm	2,5 - 4,0 mm	70801 50800			500	4,75	5000	4,45
5,0 x 10,0 mm	15,4 mm	4,0 - 6,0 mm	70801 50100			500	4,90	5000	4,60
5,0 x 12,0 mm	17,4 mm	6,0 - 8,0 mm	70801 50120			500	5,75	5000	5,45
5,0 x 14,0 mm	19,4 mm	8,0 - 10,0 mm	70801 50140			500	6,45	5000	6,15
5,0 x 16,0 mm	21,4 mm	10,0 - 11,5 mm	70801 50160			500	7,00	5000	6,70
5,0 x 18,0 mm	23,4 mm	11,5 - 13,5 mm	70801 50180			500	7,80	5000	7,50
5,0 x 20,0 mm	25,4 mm	13,5 - 15,0 mm	70801 50200			500	8,55	5000	8,25
5,0 x 22,0 mm	27,4 mm	15,0 - 17,0 mm	70801 50220			500	9,25	5000	8,95
5,0 x 25,0 mm	30,4 mm	17,0 - 20,0 mm	70801 50250			250	10,20	2500	9,90
5,0 x 30,0 mm	35,4 mm	20,0 - 25,0 mm	70801 50300			250	11,25	2500	10,95
5,0 x 35,0 mm	40,4 mm	25,0 - 30,0 mm	70801 50350			250	13,50	2500	13,20
5,0 x 40,0 mm	45,4 mm	30,0 - 35,0 mm	70801 50400			250	16,40	2500	16,10
						250	20,10	2500	19,80













Ø 6,0 mm

D1 = 6,0 + 0,08 / - 0,15 mm
D2 = 12,0 + 0 / - 1,5 mm
k = 1,5 + / - 0,4 mm
d = 3,65 mm
P ≥ 31,0 mm
L = + 1,0 / - 0,2 mm
 6,1 mm

	F-Max		CODE				100  = €		100  = €
6,0 x 10,0 mm	15,9 mm	2,5 - 4,5 mm	70801 60100	4000 N	5000 N		100  = €		100  = €
6,0 x 12,0 mm	17,9 mm	4,5 - 6,5 mm	70801 60120			250	8,55	2500	8,15
6,0 x 15,0 mm	20,9 mm	6,5 - 9,5 mm	70801 60150			250	8,85	2500	8,45
6,0 x 16,0 mm	21,9 mm	8,0 - 10,0 mm	70801 60160			250	9,55	2500	9,15
6,0 x 18,0 mm	23,9 mm	9,5 - 12,5 mm	70801 60180			250	9,75	2500	9,35
6,0 x 22,0 mm	27,9 mm	12,5 - 16,5 mm	70801 60220			250	10,15	2500	9,75
6,0 x 26,0 mm	31,9 mm	16,0 - 19,0 mm	70801 60260			250	11,00	2500	10,60
6,0 x 30,0 mm	35,9 mm	19,0 - 24,0 mm	70801 60300			250	13,10	2500	12,70
						250	15,30	2500	14,90

Ø 6,4 mm

D1 = 6,0 + 0,08 / - 0,15 mm
D2 = 13,0 + 0 / - 1,5 mm
k = 1,8 + / - 0,4 mm
d = 3,85 mm
P ≥ 31,0 mm
L = + 1,0 / - 0,2 mm
 6,5 mm

	F-Max		CODE				100  = €		100  = €
6,4 x 8,0 mm	14,4 mm	1,0 - 3,0 mm	70801 64800	4350 N	5400 N		100  = €		100  = €
6,4 x 10,0 mm	16,4 mm	2,0 - 4,0 mm	70801 64100			250	8,15	2500	7,75
6,4 x 12,0 mm	18,4 mm	3,0 - 6,0 mm	70801 64120			250	9,10	2500	8,70
6,4 x 15,0 mm	21,4 mm	6,0 - 9,0 mm	70801 64150			250	9,70	2500	9,30
6,4 x 18,0 mm	24,4 mm	9,0 - 12,0 mm	70801 64180			250	10,20	2500	9,80
6,4 x 20,0 mm	26,4 mm	12,0 - 16,0 mm	70801 64200			250	10,80	2500	10,40
6,4 x 22,0 mm	28,4 mm	12,0 - 16,0 mm	70801 64220			250	11,65	2500	11,25
6,4 x 26,0 mm	32,4 mm	16,0 - 20,0 mm	70801 64260			250	12,45	2500	12,15
6,4 x 30,0 mm	36,4 mm	20,0 - 24,0 mm	70801 64300			250	13,75	2500	13,35
						250	15,95	2500	15,55